
The Non-Inventory Equipment area allows you the option to put in other items you would like to keep track of. This area also allows you the ability to keep a record in ATS of the recertification/calibration or Preventative Maintenance that is done or needs to be done.

To add Non-Inventory Equipment, you do need to have access to the inventory module of ATS. IF you do not see it, speak with your system administrator about enabling the module or giving access to it.

Go to the Inventory Tab, and then select Add Equipment under the Non-Inventory Equipment area.



Enter as much information about the piece of equipment as you would like. The requirements to save an entry are Name and Status, Type and Abbreviation, the other fields are optional. Complete the entry, with as much detail and hit save. That will create the Equipment.

Maintenance Note Templates:


If you are entering equipment to track preventative maintenance, or verify every month that your AED battery and pads are not expired you can enter a Maintenance Note Template. Note Templates are a way to pre-load the information, from your paper copy into ATS, allowing you to enter the necessary information into the prefilled note.

Admin Wi	idows Help				
🚜 Site Info					
🧞 🛛 🖓 👸	te Teams & Organizations	•			
🟥 Users		•			
🍠 Maintena	nce	•	Dropdown/Popup Lists	•	
> Import C	ross-Walk	•	Available Docs/Forms		
🔠 Dashboar	d Statistics>	•	Note Types & Templates	•	Note Types
🎦 🛛 Data Min	er		Quick Contact Types & Templates	•	Update Note Types
🍈 Injury Ai	alytics Reporting		Athlete Forms	•	Update Templates
🎊 ROI Rep	ort	+	Staff Forms	•	Equipment Insp/Maint Types
🍰 🛛 Injury Uj	dates Needed (Admin View)	•	Medical Staff/Coaches Forms	+	Update Insp/Maint Types
A 4411-4- 6	· · · · · · · · · · · · · · · · · · ·		Protocols	•	Update Insp/Maint Templates

🚯 Popup Area Maintenance						
Popup Area		-				
EquipNoteType						
			1			
Description	*	Abbrev	Sort 🔺	Active	Last Used	
Inspection		Insp	1	\checkmark		
AED		AED	2			
Exam Table		ExTab	3	\checkmark		
Whirlpool Motor		WHP	4			

First add a note type for the equipment you need to keep a record of the preventative maintenance done on; give an abbreviation, sort and make active.

Ad	Admin Windows Help						
🚜 Site Info							
8	Add/Update Teams & Organizations	+					
<u></u>	Users	•					
ال	Maintenance	•	Dropdown/Popup Lists	•			
	Import Cross-Walk	•	Available Docs/Forms				
	Dashboard Statistics>	•	Note Types & Templates	•	Note Types		
8	Data Miner		Quick Contact Types & Templates	+	Update Note Types		
۰	Injury Analytics Reporting		Athlete Forms	•	Update Templates		
癙	ROI Report	•	Staff Forms	•	Equipment Insp/Maint Types		
- 1	Injury Updates Needed (Admin View)	•	Medical Staff/Coaches Forms	•	Update Insp/Maint Types		
<u>, 0,</u>	441-1 Cia		Protocols	•	Update Insp/Maint Templates		




To create the new template, select the Name you created from the dropdown. After doing that, enter the information you would like to have prefilled in.

With these notes, you can also make use of some of the field tags, by clicking the button. For more information on using field tags here or other notes; please see the <u>Field Tags</u> help doc.

Tracking Equipment Maintenance:

Once you have entered the equipment and created the template if you wish, you can begin tracking the maintenance.

Go to the Inventory Menu—> Select Search Equipment. You can then choose to search by Vendor, Product or the Location. Select one of the options from the screens that open.



Once you open the equipment, you will see the equipment information you entered previously. To enter your notes for the equipment select the inspection/maintenance tab. On the inspection/maintenance tab, you will see any previously done inspections. To enter a new inspection click the New Inspection, to review the previous inspections, select the entry and click on View Inspection.

🜮 Equipment	Notes Inspecti	on/Maintenance					
Name: Athletic Training AED-1 Status: Active 🗸 😜	Inspect Date	User Name	Note Header		New		
Type: General V Calution: Football Splint Kit	10/25/2022	Joe Streckfus	Present and free of damage (Y/N) Yes	Batte	Insp		
Abbrev: AED1							
Equipment Purchase					View		
Vendor: Vendor					Insp		
Model, etc: Last la pecced: 10/25/2022 -							
Lifepack Cost:							
Notes Inspection/Maintenance							
					<u>_</u>		
		New	Remove Save	Search	Close		
						1	
		📱 Equipment Inspection/Review 📃 — 🗆 🗙					
		Entered by Joe Streckfus Athletic Training AED-1					
· · · · · · · · · · · · · · · · · · ·		Date: 11/14/2022 1:54:00 PM ♀ Now Template: AED					
New Remove Save Search Close							
		Present and free of damage (Y/	N)				
		Battery Ok (Y/N)					
After selecting New Insp. You will see a new note	e screen. It	Expiration Date:					
will pull the user information for the entry by, you	can select	Pads Present/Not expired/sealed (Y/N)					
		Expiration Date:					
the Template you created earlier to fill, like the	example.						
If you utilized field tags, be sure to click the cup	to convert	If AED is stored in alarmed cabinet, is alarm functioning/battery replaced (Y/N)					
the tag to text.	Comments/action taken Initials <curruser></curruser>						
		Date <todaymm></todaymm>					
**The notes for the equipment in this area will aut	tomatically	Date CIODATMM2					
lock when you save and will not able to be edited.							
K							
						~	
		Entry Locked	nt 🚹 🕕 🕛 🎫	Save & Close	Ci	lose	

Equipment Reports:

There is a report available for equipment information and the inspection notes for your equipment.

Report menu—> Reports #20 Inventory & Equipment Reports—>#11 Equipment Details with Insp/Maint—> Then select either all equipment or the individual product you need the information for.

